

2013 drinking water quality report

CITY OF GLEN COVE WATER DEPARTMENT
PUBLIC WATER SUPPLY IDENTIFICATION NO. 2902826

ANNUAL WATER SUPPLY REPORT

MAY 2014

The City continues its commitment to provide our residents with drinking water that meets or exceeds quality standards while taking the necessary steps to improve our water delivery system infrastructure.

Reginald Spinello
Mayor


SOURCE OF OUR WATER

The source of water for the City is groundwater pumped from four (4) wells located throughout the community that are drilled into the aquifers beneath Long Island, as shown on the adjacent figure. Generally, the water quality of the aquifers is good to excellent.

In order to ensure that our tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The population served by the City of Glen Cove during 2013 was 26,000. The total amount of water pumped by the City in 2013 was 1.4 billion gallons, of which approximately 90 percent was billed directly to consumers.

The remaining un-metered water is from uses such as municipal and public school facilities, fire fighting, hydrant flushing, main breaks and undetected service line and water main leaks.



THE LONG ISLAND AQUIFER SYSTEM

WATER TREATMENT

The Water Department treats the water supply before it enters the distribution system. A small amount of chlorine is added to assure the water maintains its bacteria-free quality. Our water is also treated with sodium hydroxide to increase its pH to reduce its corrosivity before it enters the distribution system. This treatment reduces the leaching of copper and lead from household plumbing. Source water from the Kelly Street well is treated by air stripping to remove various volatile organic chemicals. Source water from the two (2) Duck Pond Road wells are treated by granular activated carbon filters to remove various organic chemicals and pesticides. All treatment is approved by and in strict accordance with Nassau County Department of Health standards.

WATER CONSERVATION MEASURES

The underground water system of Long Island has more than enough water for present water demands. However, saving water will ensure that our future generations will always have a safe and abundant water supply.

In 2013, the City of Glen Cove continued to implement a water conservation program in order to minimize any unnecessary water use. The pumpage for 2013 was approximately 0.1% less in 2012.

Water supply management has long been a practice in Glen Cove. Over the last 20 years, the city has initiated numerous programs geared to reducing water usage. Obviously, continued water conservation efforts will be required to maintain ample supplies.

Some of the major water conservation measures implemented by the City are:

Water Conservation Ordinances – local ordinances have long been in effect to restrict non-potable water use during periods of peak demand, such as Summer periods and fire emergencies. In 1987, the City, in an effort to promote conservation, amended its municipal ordinances and adopted stricter regulations related to:

- Water sprinkling (odd/even) hours are 5:00 a.m. to 9:00 a.m. and then again from 4:00 p.m. to midnight. There is NO watering permitted on the 31st of any month. Sprinkler systems must be equipped with a backflow device and rain sensor.
- Car washing – only self closing shut off valved hose permitted for use.
- Water saving plumbing fittings and fixtures are required on all new residential and commercial construction and in certain alterations and additions to existing construction.

WATER QUALITY

In accordance with State regulations, the City of Glen Cove routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes and synthetic organic contaminants. Over 135 separate parameters are tested for in each of our wells numerous times per year. Over 5,000 tests are taken each year from the distribution system and supply wells. The table presented on page 3 depicts which parameters or contaminants were detected in your drinking water. It should be noted that many of these parameters are naturally found in all Long Island drinking water and do not pose any adverse health affects.

COST OF WATER

Our residential rate structure for each 3 month period is as follows: \$2.36 per 1,000 for the first 45,000 gallons, \$2.66 per 1,000 gallons for the next 45,000 gallons, and \$2.95 per 1,000 gallons for usage over 90,000 gallons.

SOURCE WATER ASSESSMENT

The NYSDOH, with assistance from the local health department, has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See Section entitled "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Drinking water is derived from four (4) wells (Duck Pond (2), Nancy Court and Kelly Street). The source water assessment has rated all of the wells as having a low susceptibility to potential sources of contamination. However, due to the highly sensitive characteristics of the aquifer, continued vigilance in compliance with water quality protection and pollution prevention programs as well as continued monitoring and enforcement will help to continue to protect groundwater quality.

A copy of the assessment, including a map of the assessment area, can be obtained by contacting the City Water Dept.

The City of Glen Cove Water Department conducts over 5,000 water quality tests throughout the year, testing for over 130 different contaminants which have been undetected in our water supply including:

Arsenic	Chlordane	1,2-Dibromo-3-Chl.Propane	Trans-1,3-Dichloropropene
Cadmium	Total PCBs	Dioxin	cis-1,3-Dichloropropene
Chromium	Propachlor	Chloroacetic Acid	1,1,2-Trichloroethane
Copper	Alachlor	Bromoacetic Acid	1,3-Dichloropropane
Lead	Simazine	Dichloroacetic Acid	Chlorobenzene
Mercury	Atrazine	Trichloroacetic Acid	1,1,1,2-Tetrachloroethane
Langlier Saturation Index	Metolachlor	Dibromoacetic Acid	Bromobenzene
Selenium	Metribuzin	Total Haloacetic Acid	1,1,2,2-Tetrachloroethane
Silver	Butachlor	Chloroform	1,2,3-Trichloropropane
Sodium	2,4-D	Bromodichloromethane	2-Chlorotoluene
Zinc	2,4,5-TP (Silvex)	Dibromochloromethane	4-Chlorotoluene
Color	Dinoseb	Bromoform	1,2-Dichlorobenzene
Turbidity	Dalapon	Total Trihalomethanes	1,3-Dichlorobenzene
Odor	Pictoram	Gross Beta	1,4-Dichlorobenzene
Ammonia	Dicamba	Dichlorodifluoromethane	1,24-Trichlorobenzene
Nitrite	Pentachlorophenol	Chloromethane	Hexachlorobutadiene
Chloride	Hexachlorocyclopentadiene	Vinyl Chloride	1,2,3-Trichlorobenzene
Total Hardness	bis(2-Ethylhexyl)adipate	Bromomethane	Benzene
Total Alkalinity	bis(2-Ethylhexyl)phthalate	Chloroethane	Toluene
pH	Hexachlorobenzene	Trichlorofluoromethane	Ethylbenzene
Total Dissolved Solids	Benzo(A)Pyrene	Chlorodifluoromethane	M,P-Xylene
Detergents (MBAS)	Aldicarb Sulfone	1,1-Dichloroethene	O-Xylene
Free Cyanide	Aldicarb sulfoxide	Methylene Chloride	Styrene
Antimony	Aldicarb	Trans-1,2-Dichloroethene	Isopropylbenzene (Cumene)
Beryllium	Total Aldicarbs	1,1-Dichloroethane	N-Propylbenzene
Thallium	Oxamyl	2,2-Dichloropropane	1,3,5-Trimethylbenzene
Lindane	Methomyl	Bromochloromethane	Tert-Butylbenzene
Heptachlor	3-Hydroxycarbofuran	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene
Aldrin	Carbofuran	Carbon Tetrachloride	Sec-Butylbenzene
Heptachloro Epoxide	Carbaryl	1,1-Dichloropropene	4-Isopropyltoluene (P-Cumene)
Dieldrin	Glyphosate	1,2-Dichloroethane	N-Butylbenzene
Endrin	Diquat	Trichloroethene	Methyl Tert. Butyl Ether (MTBE)
Methoxychlor	Endothall	1,2-Dichloropropane	
Toxaphene	1,2-Dibromoethane (EDB)	Dibromomethane	

2013 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS

Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants							
Copper	No	June 2011	0.04 - 1.60 0.45 ⁽¹⁾	mg/l	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	No	June 2011	ND - 3.0 3.0 ⁽¹⁾	ug/l	1.3	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Barium	No	01/18/13	ND - 0.132	mg/l	n/a	MCL = 20	Naturally occurring
Fluoride	No	01/18/13	ND - 0.2	mg/l	n/a	MCL = 10	Naturally occurring
Nitrate	No	01/18/13	ND - 5.7	mg/l	n/a	MCL = 10	Naturally occurring
Iron	No	01/18/13	ND - 300	ug/l	n/a	MCL = 300	Naturally occurring
Manganese ⁽²⁾	No	01/18/13	ND - 100	ug/l	n/a	MCL = 300	Naturally occurring
Sodium	No	01/18/13	ND - 39.5	mg/l	n/a	No MCL ⁽³⁾	Naturally occurring
Zinc	No	01/18/13	ND - 0.1	mg/l	n/a	MCL = 5	Naturally occurring
Magnesium	No	01/18/13	ND - 7.7	mg/l	n/a	MCL = 100	Naturally occurring
Nickel	No	01/18/13	ND - 3	ug/l	n/a	No MCL	Naturally occurring
Chloride	No	01/18/13	19.3 - 76.8	mg/l	n/a	MCL = 250	Naturally occurring
Calcium	No	01/18/13	13.4 - 19.0	mg/l	n/a	No MCL	Naturally occurring
Sulfate	No	01/18/13	18.8 - 38.5	mg/l	n/a	MCL = 250	Naturally occurring
Perchlorate	No	11/21/13	ND - 2.9	ug/l	n/a	AL = 18 ⁽⁴⁾	Fertilizer
Disinfection By-Products							
Total Trihalomethanes	No	01/18/13	ND - 1.1	ug/l	n/a	MCL = 80	Disinfection By-Products
Volatile Organic Contaminants							
cis-1,2 dichloroethene	No	11/21/13	ND - 0.6	ug/l	n/a	MCL = 5	Discharge from industrial chemical factories
Tetrachloroethene	No	01/18/13	ND - 1.0	ug/l	n/a	MCL = 5	Discharge from factories and dry cleaners, waste sites, spills
Synthetic Organic Contaminants Including Pesticides and Herbicides							
None Detected	--	--	ND	--	--	--	--
Radionuclides							
Gross Alpha	No	11/20/13	1.2 - 6.77	pCi/L	--	MCL = 15	Naturally occurring
Radium 226	No	11/20/13	ND - 1.2	pCi/L	--	MCL = 5 ⁽⁵⁾	Naturally occurring
Radium 228	No	11/21/13	0.492 - 1.79	pCi/L	--	MCL = 5 ⁽⁵⁾	Naturally occurring
Microbiological							
Total Coliform	No	10/01/13	1 positive out 484	Positive or Negative	n/a	MCL = More than 5% of monthly samples are positive	Commonly found in the environment

Definitions:

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

pCi/L - pico Curies per Liter is a measure of radioactivity in water.

⁽¹⁾ - During 2011, we collected and analyzed 30 samples for lead and copper. The 90% percentile level is presented in the table. The action levels for both lead and copper were not exceeded at any site tested. Resampling is scheduled for 2014.

⁽²⁾ - The Food and Nutrition Board of the National Research Council determined an estimated safe and adequate daily dietary intake of manganese to be 2,000-5,000 micrograms for adults. However, many peoples diets lead them to consume even higher amounts of manganese, especially those who consume high amounts of vegetables or are vegetarians. The infant population is of the greatest concern. It would be better if the drinking water were not used to make infant formula since it already contains iron and manganese. Excess manganese produces a brownish color in laundered goods and impairs the taste of tea, coffee and other beverages. Concentrations may cause a dark brown or black stain on porcelain plumbing fixtures. As with iron, manganese may form a coating on distribution pipes. These may slough off, causing brown blotches on laundered clothing or black particles in the water.

⁽³⁾ - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

⁽⁴⁾ - Perchlorate is an unregulated contaminant. However, the State Health Dept. has established an action level of 18 ug/l.

⁽⁵⁾ - MCL is for combined Radium 226 and Radium 228.

CONTACTS FOR ADDITIONAL INFORMATION

If you have any questions about this report or concerning your water utility, please contact the Water Department at (516) 676-2297 or the Nassau County Department of Health at (516) 227-9692. We want our valued customers to be informed about our water system. If you want to learn more, you can attend any of our regularly scheduled City Council meetings. They are normally held on the second and fourth Tuesday of each month at 7:30 p.m. at City Hall, unless otherwise posted.

The City of Glen Cove routinely monitors for different parameters and contaminants in your drinking water as required by Federal and State laws. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WATER SYSTEM IMPROVEMENTS

The City of Glen Cove is committed to providing Glen Cove residents with the highest quality and best tasting water and to improve the overall efficiency of the system. With this in mind, the Department of Public Works had undertaken an internal audit of all water department facilities, mechanical systems and delivery infrastructure. Immediate needs for operational and mechanical improvements have been determined and the City will be performing major improvement projects for the 2014 period. Improvement projects will include upgrading the City's transmission main to provide service to the waterfront redevelopment project area.

During 2013, the City rehabilitated the Kelly Street well and Well No. 30 to restore capacity and improve operating reliability.

City of Glen Cove Water Department
9 Glen Street
Glen Cove, New York 11542-2798
(516) 676-5096

Bulk Rate
Carrier Presort
U.S. Postage
PAID
Glen Cove, NY
Permit No. 56

POSTAL CUSTOMER
GLEN COVE NY 11542